










BARRIER (AC MOTOR)

Model	Max length of boom(m)	Opening time(s)	Dimensions(mm)	Power	Cabinet	FOB SHENZHEN (US\$)
BS-303 AC motor	3M	2	348×268×1050	220V 50HZ	Powder coating steel	
BS-306 AC motor	6M	6	348×268×1050	220V 50HZ	Powder coating steel	
BST-I AC motor	5M	6	348×268×1050	220V 50HZ	Powder coating steel	
BST-II AC motor	5M	6	348×268×1050	220V 50HZ	Powder coating steel	
Model	BS-303/306			BS-306		
Picture						
Picture	BST-I			BST-II		
						

BARRIER

MODEL	PICTURE	UNIT PRICE	DESCRIPTION
BS-603 BS-606			AC OR DC MOTO, MAX LENGTH BS-603 350.00 IS 6M, UP AND BS-606 DOWN SPEED IS 1.5-6S
BST-605-I			AC OR DC MOTO, MAX LENGTH IS 5M, UP AND BST-605-I 395.00 DOWN SPEED IS 6S
BST-605-II			AC OR DC MOTOR, MAX LENGTH IS 5M, UP AND BST-605-II 395.00 DOWN SPEED IS 6S
BST-605-III(A)			AC OR DC MOTO, MAX LENGTH IS 5M, UP AND BST-605-III(A) 450.00 DOWN SPEED IS 6S
BST-605-III(B)			AC OR DC MOTOR, MAX LENGTH IS 5M, UP AND DOWN SPEED IS 6S

GARAGE DOOR OPENER

Model	General torque	Power	SIZE OF DOOR	Motor	FOB Shenzhen
BS-G800	8 N·m	220V 50HZ	$\leq 8 \text{ m}^2$	24V/D C60W	
BS-G1000	10 N·m	220V 50HZ	$\leq 12 \text{ m}^2$	24V/D C80W	
BS-G1200	12 N·m	220V 50HZ	$\leq 18 \text{ m}^2$	24V/D C100W	
		Rolling code transmitter 433MHz			
		Rolling code transmitter 433MHz			
		Rolling code transmitter 433MHz			











GARAGE DOOR OPENER

Model	Limit MODE	Torque	Power	Max lift height	Motor	Price FOB Shenzhen
BS-G6800	Electronic limit switches	7 N.M	220V 50HZ	2.2M	24V/DC60W	
BS-G7800	Electronic limit switches	8N.M	220V 50HZ	2.7M	24V/DC80W	
BS-G8800	Electronic limit switches	10N.M	220V50HZ	3.2M	24V/DC10W	
 BS-G6800	Chain track				Rolling code transmitter 433MHz	
 BS-G7800					Rolling code transmitter 433MHz	
 BS-G8800					Rolling code transmitter 433MHz	

BS-JGT500	
Power supply	220V ± 10% 50Hz
Absorbed power	370W
Input current	≤2.5A
Capacitor	C=20-22UF
Insulation	B
Working frequency	2 times/min
Thermal protection	125°C
Normal environment	-20°C ~ +50°C
Motor rotational speed	1100r/min
Output rotational speed	36.8r/min
Rotational ratio	1:38
Output torque	Running:48N·M
Max lift height	5 M
Price FOB SHENZHEN	
	
	

SLIDING GATE OPERATOR (specifications and price)

Model	Power	Weight (kg)	Motor rotational speed	Absorbed current	Top Output Torque	Component of standard Kit	Price FOB Shenzhen
BSA-370	220V370W	15kg	1400r/min	3A	38N.M	A motor and a control box with two transmitters	
Concise-II	220V280W	13kg	1400r/min	3A	36N.M	A motor and a control box with two transmitters	
Concise-I-DC	220V100W 24V/DC	12.5kg	1200r/min	5A-7A	30N.M	A motor and a control box with two transmitters	
BS-CAN	220V 280W	14kg	1400r/min	3A	36N.M	A motor and a control board inside with two transmitters	
BS-CAN-DC	220V100W 24V/DC	13.5kg	1200r/min	3A	30N.M	A motor and a control board inside with two transmitters	
Steel Rack	1000×10×30m m						 meter
Photocell							

<p>Alarm lamp</p>		
<p>External Receiver</p>		
<p>BSA-250/370 (Magnetic limit switch) Max weight of gate: 1000kgs</p>		<p>Control box for BSA-370 and Concise-II</p>   
<p>Concise-II (Magnetic limit switch) Max weight of gate: 800kgs</p>		

BS-CAN—AC/DC
(Mechanical limit switch)

Max weight of gate:
800kgs(AC)/500kgs(DC)



(With the control board inside)



Control board inside



(Rolling code, 433.92MHz)

SWING GATE OPENER (Specification and Price)

Model	BS-PK-05
Power	24V DC 80W/60W
Rod rotational speed	1500r/min
Absorbed current	3A
Max single-leaf weight	300kgs / 200kgs
Max single-leaf length	3M
Rod running speed	1.6cm/s
Protection class	IP44
Rod max travel	300mm
Top operating cycle	60r/h
Environment	-20°C ~ +50°C
Component of standard package	Two rods and a control box
Price FOB SHENZHEN (USD) (Including: two motors and a control box, 2 transmitters)	[REDACTED]
Trade price (minimum 200 Sets)	[REDACTED]

FULL KIT OF SWING GATE OPENER

